### B: DOCUMENTS AND INFORMATION:

(i) COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY



The school shall be responsible for submission of any pending compliance, reply of show case /legal notice/ complaint and for 9. submission of date/information sought by the Board. The extension of 05 years shall be from the date of cessation of previous validity of extension of affiliation

20. The school is required to remit pending fee, if any

The extension of affiliation is being granted as one time measure. However, the cases where the Show Cause Notice was This sits is Designed and Developed by IT & Project Department CBSE.

22. The school shall renew all mandatory safety certificate i.e Safe Drinking Water & Health and Hygiene certificate, Fire Safety Certificate and Building Safety Certificate from concerned Govt authorities time to time

The school shall also maintain record of certificate, compliances, data and other records/information and shall be fully responsible to produce all such records before Board and appropriate Government Authorities when asked for, failing which necessary action shall be taken as per Affiliation-Bye-Laws of the Board. The school shall also be liable for action by the appropriate Govt., in case of violation / non-compliance of the concerned Govt. norms

24. The Board reserves the right to conduct inspection of school as per clause 11.2 and 11.4 of Affiliation Bye Laws.


(ii) COPIES OF SOCIETIES / TRUST / COMPANY REGISTRATION / RENEWAL CERTIFICATE, AS APPLICABLE

*			
CERTIF	ICATE OF REGI	STRATION OF	
	SOCLETY ACT X		
	1860	• •	
•			
No.5/13457		of 1983	•
·. · ·	· .		
I hereby o	ertify that	Army We	lare.
1 . S	Society : Cf	0 1	,
			•
	ha	s this day b	een
registered under	the Societie	s Registrati	on, Ad
XXI of 1860.			•/2.180
•••	Ψ.,		
Given unde	r my hand at	Delhi this 2	91K
day of April	One The	usand Nine H	undrea
and Erghty Tonge	• • • :		
REC ATION FEE	OF Rs. 50/-1	AID.	
		,	
		hand	
	DECTOR	AR OF SOCIET	TRA.

### MANDATORY PUBLIC DISCLOSURE

(iii) COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IFAPPLICABLE, BY THE STATE GOVT./UT - Not Applicable

# (iv) COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT'S RENEWAL IF APPLICABLE



# (v) COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE

### TO WHOM SO EVER IT MAY CONCERN

### BUILDING SAFETY CERTIFICATE

This is to certify that Army Public School Gwalior is constructed on A1 Defence Land. School Building was constructed under the provision of MES in year 2007. Presently the school building is safe for the purpose of running the school. The school is located in the Morar Cantonment area and maintenance of the school building is being carried out by the MES Gwalior periodically. This certificate is issued for a period of one year from date of issue.



D P Chaturredi, IDSE EE (SG) Garrison Engineer

ł.

### MANDATORY PUBLIC DISCLOSURE

## (vi) COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY

	The second s
 	IN LIEU OF IAFD - 931
proceedings of	: Board of Officers
Jassemble at	: Army Public School Gwalior.
on the day of	: 29 May 2023
by order of	: Stn Headquarters convening order No 2006/APS/Gen dt 08 May 2023.
for the purpose of	: To carry out Fire Fighting Audit and to assess the auth of Fire Fighting Eqpts (FFE) for Army Public School Gwalior
	PRESIDING OFFICER

## MEMBERS

MADRAS

Bishal

- 1. IC-76540M Maj Saurabh Kumar, 20 Grenadiers
- 2. IC-80707P Maj Suyash Chitransh, 20 JAK RIF
- 3. Mr Vimal Prakash Singh, PRT (PTI), APS Gwalior

1. The Board having assembled in pursuance to the order proceeded to carry out Audit for Fire Fighting security of Army Public School Gwalior.

2. Findings of the Board. Following is observed by the board.

IC- 76HOTK Map

(a) Adequate ventilation in stores. No undergrowth and dry grass have been found in 50 m surrounding area of the school and other stores.

(b) 35 Nos of fire extinguisher, 06 fireballs and 16 fire buckets covering the sensitive/ essential locations such as distribution boards for electric supply, chemistry lab, exam cell, principal office, office, library, corridors etc have been found in working condition. Details of location and classification of fire extinguishers is attached as Appx A. Photographs are attached as Appx B.

(c) Fire fighting drill is being carried out by the school from time to time.

(d) 04 entry and exit gates are available in the school building.

(e) Adequate water points for the delivery of water to the site of fire are available to deal with any emergency.

3. In the opinion of the Board, the school has adequate fire fighting equipment and training to overcome any untoward incident and school is following adequate fire safety precautionary measures.

Presiding Officer :

10-76407K Maj Bishal Kumar Gingh 7 MADRAS

### MANDATORY PUBLIC DISCLOSURE

### MANDATORY PUBLIC DISCLOSURE

1.

Member

IC-76540M Maj Saurabh Kumar, 20 Grenadiers

2. IC-80707P Maj Suyash Chitransh, 20 JAK RIF

3. Mr Vimal Prakash Singh, PRT (PTI), APS Gwalior


COUNTERSIGNATURE

Collarie Adm Comdt/एडम कमाण्डेन्ट Station HQ Gwalior स्टेशन हेड्वयॉर्टर ग्यालियर

(vii) COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATION OR SELF CERTIFICATION BY SCHOOL

School Recognition Certificate generated and downloaded from Education Portal Iwww.educationportal.npp.90x-nu text 2 (#dar 11 (4) देखिए)	here an allows - and	in mage marks	कार्यालय, जिला शिक्षा अधिकारी (GWALIOR), मध्यप्रदेश	जनभाषः हिंदग्रीयः	-ther	: क्रमाक:J040213371/स्कूल आई.डी 14577 : पनि		мачер	(ARMY PUBLIC SCHOOL MORAR CANIT GWALOR) कम्म्न- क्षेन- क्षेन- क्षेन- क्षेन- क्षेन- क्षेन- क्षेत्रियन क्षेत्रियन क्षेत्र	विषयः निःशुल्के आरं आगवाष बाल स्वता पा अन्यवत आनागचन, 2000 भा नारा 10 में अन्यता मन्या 10 में अन्यता मन्या 1 शिक्षा का अधिकार निवम,2010 के निवम 11 के उपनियम (4) के अधिन स्कूल मान्यता प्रसाण पत्र।	महोदया,	आपके आवेदन पत्र दिनांक 22/10/2019 तथा इस संबंध में स्वूल से प्रधातवती पत्र व्यवहार/ निरीक्षण के संदर्भ में, में आपकी	THE TRANT PUBLIC SCHOOL MORAR CANTT GWALIOR, MORAR CANTT GWALIOR MP at THE T 21 AT THE THE THE	दिनांक 01/04/2019 से 31/03/2022 तक कालावधि के लिए मान्यता प्रदान करता है।	उपरोक्त रसीबहोति किस्तनितिय शती की पूर्वि के अध्ययोग होगी।- 	· 지금고리 레주니지지 귀찮 않게 잠시 해요! 정 원 세계 정 제 외가고입니다. 이 에 에 에 에 에 에 에 에 에 에 에 에 에 에 에 에 에 에	<ul> <li>Agio Intiges and Antonia and a such as much and and and and and and and and and and</li></ul>	. स्वकूत, अपने पक्षेत्र की सीमा के वीचेत समूह तथा कमजोर वर्ग के बालकों को कक्षा 1 में न्यूलतम 25 प्रतिशत प्रवेश देशा। उस	देशा में, स्थूल यदि सहायता प्राप्त स्वाहूल में हो इसमें प्रवेशित वात्वानों में ने ने निश्चलित में नियनिय प्राया भारत करने स्वातान में स्वातान प्राप्त स्वातान प्राप्त स्वातान से स्वातान से स्वातान से निश्चलित स्वातान में स्वा	ুৱনা বিভাৰ কথা সহাৰল বাখাৰক মাবলৈ থথা প প্ৰপাদ পৰ পৰ বুৰ পৰ পৰ বাদৰ পৰ পৰ পদ পৰ পদ পৰ পদ প্ৰদাদ পদ পদ পদ পদ পদ আৰু শান্দৰ পদেশ প্ৰকাশৰ পৰি পদ পৰ পৰ পৰি পৰ পৰি প্ৰথম পদ পৰ পদ পৰ পদ পৰ পদ পৰ পৰি পি কৰেছে। বিভাগ পি পাৰি পদিনিক প	भार 12 की उपपास (1) के खण्ड (क) से (ग) के उपवंध प्रि-स्कूल में प्रवेश के लिए लगत होने।	• पैग 3 में निरिष्ट बालकों के लिए स्कूल को अंधिनियम मंग्र चांग 12 (2) क अनुसार व्यय का प्रांतभूति का आरथा तथा रस मन्तेम्मई माम उनने के लिम उक्तव को प्रांतक में हैंक स्वीता उपलब्ध कराना होगा।	भागपुरा भार भारत कोई श्री संपीरेशन फीस वा संयह नहीं करेगा तथा बालक या उसके पालक या अधिभावक के साथ किसी छानबीत • सामाइटीरिक्सूल कोई श्री संपीरेशन फीस वा संयह नहीं करेगा तथा बालक या उसके पालक या अधिभावक के साथ किसी छानबीत	पक्तिया को नहीं अपनाप्ता।	• स्पूल फिसी भी बालक को प्रवेश देने से कुलर नहीं करगी- • (क) आग्य के सकत के अभाव में,		(n) धार, जोती या मुहायरा, जन्मरथान या धुनामे से किसी झा आधार पर। 	र गर्भुत प्रायम मन्द्र में आदिक शिक्षा पूर्ण होने तक किसी भी बातक को किसी कहा। में रोका या जिल्लातित नहीं किया आएगा. किसी नहूल में आदिक शिक्षा पूर्ण होने से आहे किसी भी बातक को किसी के वित्त में रोका या जिल्लातित नहीं किया आएगा.	<ul> <li>किसी बालक को बारीरिक पा मानसिक रूप से प्रताडित नहीं किया जाएगा;</li> </ul>	<ul> <li>पारमिक गिवा पूर्ण होने तक बातक को कोई बोर्ड परीचा उत्तील करने की आवस्यकता नहीं होगी.</li> </ul>		ਾ ਸ਼ਹਿਸਿਕਤ ਦੇ ਤਾਰਕ ਨੇ ਤਾਰਕ ਨੇ ਤਾਰਕਾਂ ਦੇ ਸ਼ਾਨੂੰ ਸਾਨ ਦਾ ਸ਼ਾਨ ਦੀ ਸ਼ਾਨ ਦਾ ਸ਼ਾਨ ਦਾ ਸ਼ਾਨ ਦਾ ਸ਼ਾਨ ਦਾ ਸ਼ਾਨ ਦਾ ਸ਼ਾਨ ਦਾ ਸ • ਸ਼ੀਉਸਿਕਤ ਦੀ ਬਾਹਾ 23(1) ਦੇ ਸ਼੍ਰੀਸੀ ਸਿਧਿਨ ਦਸ਼ਕਾਰ ਸ਼ੀਰਾਜ਼ ਸ਼ਾਨਾ ਇਸ਼ਾਰਜੇ ਦੇ ਸ਼ਾਨਾਂ ਦੇ ਸ਼ਾਨਾਂ ਦੇ ਸ਼ਾਨਾਂ ਦਾ ਸ਼ਾਨੇ ਨਾ	वर्तमान में वायंप्रता जो शिक्षक इस अधिनियम के प्रारम्भ होने पर स्वत्तान अधित होते हैं. जन्मे अधिनियम के	पारम्भ होने के दिनांक से 5 वर्ष की अवधि में निर्मातित न्यूनतम अहंता प्राप्त करनी होगी ;	<ul> <li>मोधन को गांधान्यन की पाछ 24(1) के गुणेंग डोनोटी क करोवा होगा;</li> <li>म्म्म् करोवा हो गांधान्यन की पाछ 24(1) के गुणेंग डोनोटी करोवा की पाछ करोगा होगा;</li> </ul>	• अथवट टावर गिलम जोतवाचया में सडक स्व मांग नहीं कवालया। • स्वत्य स्वतीक्वर्या भाषा विमिनित्र मिलम स्वतिक स्वतिक स्वतिक मिलि मिलि मिलि मिलि मिलि मिलि मिलि मि	• ९९७ मनुभग आगण्या ज्याप्ता गएवपथा मा जनुसाय मत्या। • अधितियम की धारा 19 में विहित किए अत्यार स्वरूत में उपलब्ध सविधा के अत्यात में स्वरूतों का नामांकन किया		
स्वत्य द्वरात अधिनियम की पारा 19 में विनिर्द्ध हक्तु के मानक एवं मानद्रण्य बनाए रथे जाएंगे। अंतिम निर्देष्त्रण के समय स्वतुत में		मरिता में दर्ज 	स्वयं का अवनं स्वयं का अवनं 2.00.000	849420	511757 511757	337663	अधेमसंघत्ता का विवरण	Rooms as पोर्टल में दर्ज हास्तविक स्थिति	संख्या	(बर्स फीट में) (			गार्टल में दर्ग वास्तविक दियति			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	15701 13484	5	Other Pipe Water	136 125	Indian Both Indian & Wastern		and the second secon	A State of the second s		सेखे संपरीक्षित किए जाएंगे तथा चार्डड एक्तउन्टेंट द्वारा सत्यापित होंगे और उचित लेखा विवरण नियमों के अनुसार तैयार होगा। प्रत्येक ००००००००००००००००००००००००००००००००००००	लेखाओं के विवरणों की एक प्रति प्रतिवर्ष जिला शिविकारा का अला लारेगा। तेखाओं के विवरणों की एक प्रति प्रतिवर्ष जिला शिविकार शिविदा 230A0546925 है। इस कार्यालय के साथ पत्राचार में यह कोड		ऐसी रिपोर्ट और जानकारी स्कूल व्यास प्रस्तुत की जाएगी, जो राज्य शिक्षा केन्द्रतिला शिक्षा अधिकारी व्यारा समय-समय पर अपैक्षित की	जाए, और स्कूल राज्य सरकारास्थानीय प्राधिकारी के ऐसे अनुदेवी का पालन करेगा, जेसा कि स्कूल के सचालन का कामया का दूर करन क 	लिए अधवा मान्यता की शता की निर्फलर पूरत धुलाभारत करन एउ आप गरुर आर। • • •		अन्य पत स्तरूप 2 जन्म		भावदीय,	. जिला शिक्षा अपिकारी	15		Σ.
स्वाल के मानक ए				स्कूल का कुल क्षेत्रफल (वर्ग फीट में)	स्कूल का लिर्मित क्षेत्रफल (वर्ग फीट में)	खेल मैदान का क्षेत्रफल (वर्ग फीट में)	चना का				कक्षा आठवी तक उपयोग में आ रहे कक्षा कक्ष	कायोलय कक्ष-सह-अण्डार कक्ष-सह-प्रयानाध्यापक कक्ष ओन्नाया यह प्रेपला	4	अल्प सुविधार — — ७७ म्टन्न्न में न्यू ल्यू व्यंतही	the s	ucar unar unaru (secuciater que arteria art)	ממקב עם שמ שיאיט (פרטמונה קש שייייים) ויייני שייייים			1	्रीयालय का प्रकार (आरतीय/पश्चिमी/नहीं)	लड़कों के लिए पृथक शौंचालयों की संख्या	लड़कियों के लिए पृथक शौचालयों की संख्या	विकलांग बच्चों के लिए उपयुक्त शौचालयों की संख्या	क्या अनिन सुरक्षा प्रणाली उपलब्ध है ? हांग्लही	ड एकाउन्टेंट व	नेवर्ष जिला शिद् र 040213371		त्त पस्तुत की ज	ाय प्राधिकारी के 	जनर भूति सुल मान का नवीका	सासायटाल्यास, याद काई ए।, क प्रजापन मा मयागर अन्य को मंखरून उपाबंध "तीन" के अनुसार होगी।	मान्यता की १						

### (viii) COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES





CIN: U73100MP2002PTC015352 Approved: by Ministry of Environment, Forest and Climate Change (MoEF&CC) Registered Office: 63/1, Kailash Vihar, Near Income Tax Office, City Center-II Gwalior-474 011, M.P., India To 751-409 99716, 2232177 Email: aetrl2016@gmail.com, aelgwalior@gmail.com



### **TEST REPORT CERTIFICATE: MICRO LAB**

TEST R	EPORT No	DISF	ATCH No	REPORT ISSUE ON
AETRL20	21TR9621	D202	1TR0764	29/11/2021
25/11/2021	SAMPLE REGISTR	ATION NO:	AETRL2021/	CHEM/W/1707
	AETRL20	TEST REPORT No AETRL2021TR9621 25/11/2021 SAMPLE REGISTR	AETRL2021TR9621 D202	AETRL2021TR9621 D2021TR0764

ISSUE TO : TO, ARMY PUBLIC SCHOOL ADDRESS : MORAR CANTT, GWALIOR M.P.

#### SAMPLE DETAILS

TYPE OF SAMPLE:	Water Sample	COLLECTION DATE :	25/11/2021	SAMPLE COLLECTED BY:	Lab Representative
SAMPLE DESCRIPTION :	RO Water, Army Public School	SAMPLE CONDITION:	Acceptable	METHOD USED FOR SAMPLING:	IS:1622
SAMPLE RECEIVED IN LAB	25/11/2021	ANALYSIS STARTED :	25/11/2021	ANALYSIS COMPLETED :	29/11/2021

#### **RESULTS OF SAMPLE ANALYSIS**

S.No.	PARAMETERS	UNIT	TEST RESULTS	SPECIFICATION IS:10500:2012	METHOD
1.	E. coli	MPN/100 ml	Absent	Shall not be detected in 100 ml sample	IS:1622

\*\*\*\*END OF REPORT





